

As of 15th March 2021

Third PMT Workshop 25 & 26.3.2021

Getting control of PMT and vPvM substances under REACH

List of links and literature from presentations and discussions

Neumann, M. and Schliebner, I. (2019) *UBA Texte 127/2019*: Protecting the sources of our drinking water: The criteria for identifying Persistent, Mobile, and Toxic (PMT) substances and very Persistent, and very Mobile (vPvM) substances under the EU chemical legislation REACH. German Environmental Agency (UBA), Dessau-Roßlau, Germany. ISBN: 1862-4804. 87 pages
<https://www.umweltbundesamt.de/publikationen/protecting-the-sources-of-our-drinking-water-the>

Arp, H.P.H. and Hale, S.E. (2019) *UBA Texte 126/2019*: REACH: Improvement of guidance methods for the identification and evaluation of PM/PMT substances. German Environment Agency (UBA), Dessau-Roßlau, Germany. ISBN: 1862-48EE04. 129 pages
<https://www.umweltbundesamt.de/publikationen/reach-improvement-of-guidance-methods-for-the>

Jin, B., Huang, C., Yu, Y., Zhang, G., & Arp, H. P. H. (2020). The need to adopt an international PMT strategy to protect drinking water resources. *Environmental Science & Technology*, 54(19), 11651-11653.
<https://pubs.acs.org/doi/10.1021/acs.est.0c04281>

Hale, S. E., Arp, H. P. H., Schliebner, I., & Neumann, M. (2020). Persistent, mobile and toxic (PMT) and very persistent and very mobile (vPvM) substances pose an equivalent level of concern to persistent, bioaccumulative and toxic (PBT) and very persistent and very bioaccumulative (vPvB) substances under REACH. *Environmental Sciences Europe*, 32(1), 1-15.
<https://enveurope.springeropen.com/articles/10.1186/s12302-020-00440-4>

Hale, S. E., Arp, H. P. H., Schliebner, I., & Neumann, M. (2020). What's in a Name: Persistent, Mobile, and Toxic (PMT) and Very Persistent and Very Mobile (vPvM) Substances. *Environmental Science & Technology*, 54(23), 14790-14792.
<https://pubs.acs.org/doi/10.1021/acs.est.0c05257>

Rüdel, H., Körner, W., Letzel, T., Neumann, M., Nödler, K., & Reemtsma, T. (2020). Persistent, mobile and toxic substances in the environment: a spotlight on current research and regulatory activities. *Environmental Sciences Europe*, 32(1), 1-11.
<https://enveurope.springeropen.com/articles/10.1186/s12302-019-0286-x>

Reemtsma, T., Berger, U., Arp, H. P. H., Gallard, H., Knepper, T. P., Neumann, M., ... & Voogt, P. D. (2016). Mind the Gap: Persistent and Mobile Organic Compounds – Water Contaminants That Slip Through

<https://pubs.acs.org/doi/10.1021/acs.est.6b03338>

Arp, H. P. H., Brown, T. N., Berger, U., & Hale, S. E. (2017). Ranking REACH registered neutral, ionizable and ionic organic chemicals based on their aquatic persistency and mobility. *Environmental Science: Processes & Impacts*, 19(7), 939-955.

<https://pubs.rsc.org/am/content/articlelanding/2017/em/c7em00158d/>

CHEM Trust, Identification of EDs under CLP: Criteria for hazard classification of EDs and allocation to hazard categories, incl. for Suspected EDs, March 2021

https://chemtrust.org/wp-content/uploads/Joint-CT_HEAL_CE-proposal-on-CLP-ED-criteria-March-2021-final-with-date.pdf

Dirk Bunke, Clara Löw, Katja Moch, Antonia Reihlen and Ninja Reineke, (2021), UBA Texte 08/2021: Advancing REACH – REACH and substitution

<https://www.umweltbundesamt.de/publikationen/advancing-reach-reach-substitution>

Göckener B, Weber T, Rüdell H, Bücking M, Kolossa-Gehring M. Human biomonitoring of per- and polyfluoroalkyl substances in German blood plasma samples from 1982 to 2019. *Environ Int.* 2020 Dec;145:106123. doi: 10.1016/j.envint.2020.106123. Epub 2020 Sep 17. PMID: 32949877.

<https://pubmed.ncbi.nlm.nih.gov/32949877/>

Melanie Kah, Gabriel Sigmund, Feng Xiao, Thilo Hofmann, Sorption of ionizable and ionic organic compounds to biochar, activated carbon and other carbonaceous materials, *Water Research*, Volume 124, 2017, Pages 673-692

<https://doi.org/10.1016/j.watres.2017.07.070>

Gabriel Sigmund, Mehdi Gharasoo, Thorsten Hüffer, and Thilo Hofmann, Deep Learning Neural Network Approach for Predicting the Sorption of Ionizable and Polar Organic Pollutants to a Wide Range of Carbonaceous Materials, *Environmental Science & Technology* 2020 54 (7), 4583-4591

<https://doi.org/10.1021/acs.est.9b06287>

Nikolas Hagemann, Hans-Peter Schmidt, Ralf Kägi, Marc Böhler, Gabriel Sigmund, Andreas Maccagnan, Christa S. McArdell, Thomas D. Bucheli, Wood-based activated biochar to eliminate organic micropollutants from biologically treated wastewater, *Science of The Total Environment*, Volume 730, 2020, 138417

<https://doi.org/10.1016/j.scitotenv.2020.138417>

ECETOC Persistency task force report will be published as soon as it is ready here:

<https://www.ecetoc.org/taskforce/persistent-chemicals-and-water-resources-protection/>

ChemSec's SINList

https://sinlist.chemsec.org/app/uploads/2019/11/Chemsec_The_Product_Final.mp4

<https://sinsearch.chemsec.org/>
<https://sinlist.chemsec.org/>

European Environment Agency, 2019, The European Environment – State and Outlook 2020, Knowledge for transition to a sustainable Europe

<https://www.eea.europa.eu/soer/2020>

Glüge et al., An overview of the uses of per- and polyfluoroalkyl substances (PFAS) Environ. Sci.: Processes Impacts, 2020,22, 2345-2373

<https://pubs.rsc.org/en/content/articlelanding/2020/em/d0em00291g#!divAbstract>

Cousins et al. (2019) Why is high persistence alone a major cause of concern? Environ Sci Process Impacts, 22;21(5):781-792

<https://pubs.rsc.org/en/content/articlehtml/2019/em/c8em00515j>

Matthew MacLeod, Magnus Breitholtz, Ian T. Cousins, Cynthia A. de Wit, Linn M. Persson, Christina Rudén, and Michael S. McLachlan, Identifying Chemicals That Are Planetary Boundary Threats, Environmental Science & Technology 2014 48 (19), 11057-11063

<https://pubs.acs.org/doi/10.1021/es501893m>

European Environment Agency briefing 2021: Delivering chemicals and products that are safe and sustainable by design.

<https://www.eea.europa.eu/highlights/designing-safe-and-sustainable-products>

European Environment Agency, Briefing 'Ozone-depleting substances 2020'

<https://www.eea.europa.eu/themes/climate/ozone-depleting-substances-and-climate-change/2020>

Inoue et al. (2020), Contribution of Organofluorine Compounds to Pharmaceuticals, ACS Omega. 5(19): 10633–10640. 2020), doi: 10.1021/acsomega.0c00830,

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7240833/>

Ogawa et al. (2020), Current Contributions of Organofluorine Compounds to the Agrochemical Industry, iScience, 23 (9), 101467.

<https://www.sciencedirect.com/science/article/pii/S2589004220306593>

IRGC. (2017). Introduction to the IRGC Risk Governance Framework, revised version.

Lausanne: EPFL International Risk Governance Center.

Abe, A. (1997). "Determination method for 1, 4-dioxane in water samples by solid phase extraction-GC/MS." Journal of Environmental Chemistry 7(1): 95-100.

Abe, A. (1999). "Distribution of 1,4-dioxane in relation to possible sources in the water environment." Sci Total Environ 227(1): 41-47.

Adamson, D. T., et al. (2014). "A Multisite Survey To Identify the Scale of the 1,4-Dioxane Problem at Contaminated Groundwater Sites." *Environmental Science & Technology Letters* 1(5): 254-258.

Adamson, D. T., et al. (2017). "1,4-Dioxane drinking water occurrence data from the third unregulated contaminant monitoring rule." *Sci Total Environ* 596-597: 236-245.

Anderson, R. H., et al. (2012). "Co-occurrence of 1,4-dioxane with trichloroethylene in chlorinated solvent groundwater plumes at US Air Force installations: Fact or fiction." *Integr Environ Assess Manag* 8(4): 731-737.

Carrera, G., et al. (2017). "Simultaneous determination of the potential carcinogen 1,4-dioxane and malodorous alkyl-1,3-dioxanes and alkyl-1,3-dioxolanes in environmental waters by solid-phase extraction and gas chromatography tandem mass spectrometry." *J Chromatogr A* 1487: 1-13.

Carrera, G., et al. (2019). "Dioxanes and dioxolanes in source waters: Occurrence, odor thresholds and behavior through upgraded conventional and advanced processes in a drinking water treatment plant." *Water Res* 156: 404-413.

Karges, U., et al. (2018). "1,4-Dioxane pollution at contaminated groundwater sites in western Germany and its distribution within a TCE plume." *Sci Total Environ* 619-620: 712-720.

LANUV (2019). Echo Stoffbericht 1,4-Dioxan. ECHO-Stoffbericht.

Magg, K., et al. (2013). Nachweis und räumliche Verbreitung des Lösungsmittels 1,4-Dioxan im Trinkwasser der Stadt Frankfurt am Main. 18. Jahrestagung der SETAC GLB 2013, Essen.

OVAM (2017). Additives of chlorinated solvents - 1,4-dioxane in Flanders. Mechelen, Belgium, Public Waste Agency of Flanders (OVAM): 70.

Röden, O., et al. (2016). Untersuchungen zu Vorkommen und Bedeutung von 1,4-Dioxan für die Trinkwassergewinnung aus Rhein-Uferfiltrat. *J. d. ARW*: 95 - 107.

Stepien, D. K., et al. (2014). "Fate of 1,4-dioxane in the aquatic environment: from sewage to drinking water." *Water Res* 48: 406-419.

Zenker, M. J., et al. (2003). "Occurrence and Treatment of 1,4-Dioxane in Aqueous Environments." *Environmental Engineering Science* 20(5).

Link to RMOA conclusion document at ECHA for 1,4-dioxane:

<https://echa.europa.eu/de/rmoa/-/dislist/details/0b0236e183e78201>

Link to Call for Comments and Evidence at ECHA for 1,4-dioxane: https://echa.europa.eu/calls-for-comments-and-evidence/-/substance-rev/27604/term?_viewsubstances_WAR_echarevsubstanceportlet_SEARCH_CRITERIA_EC_NU_MBER=204-661-8&_viewsubstances_WAR_echarevsubstanceportlet_DISS=true

REACH, Registration dossier of Trifluoroacetic Acid

<https://echa.europa.eu/de/registration-dossier/-/registered-dossier/5203> (last modified: 21-Jan-2020)

Scheurer M, Nödler K, Freeling F, Janda J, Happel O, Riegel M, Müller U, Storck FR, Fleig M, Lange FT, Brunsch A, Brauch H-J (2017): Small, mobile, persistent: Trifluoroacetate in the water cycle – Overlooked sources, pathways, and consequences for drinking water supply. *Water Research* 126, 460–471.

<https://www.sciencedirect.com/science/article/pii/S0043135417307996>

Freeling F, Behringer D, Heydel F, Scheurer M, Ternes T, Nödler K (2020): Trifluoroacetate in precipitation: Deriving a benchmark data set. *Environmental Science & Technology* 54, 11210–11219.

<https://pubs.acs.org/doi/10.1021/acs.est.0c02910>

Klein A. (1997): Halogenierte Essigsäuren in der Umwelt. Zugl.: Bayreuth, Univ., Diss., 1997, Als Ms. gedr; *Berichte aus der Umwelttechnik*; Shaker: Aachen.

Nödler K, Freeling F, Sandholzer A, Schaffer M, Schmid R, Scheurer M (2019): Untersuchungen zum Vorkommen und Bildungspotential von Trifluoacetat (TFA) in niedersächsischen Oberflächengewässern. Abschlussbericht.

<https://www.nlwkn.niedersachsen.de/download/141156>

Scheurer M, Nödler K (2021): Ultrashort-chain perfluoroalkyl substance trifluoroacetate (TFA) in beer and tea – An unintended aqueous extraction. *Food Chemistry* 351, 129304.

<https://www.sciencedirect.com/science/article/pii/S0308814621003095>

EURL-SRM (2017): Residue Findings Report - Residues of DFA and TFA in Samples of Plant Origin.

<https://www.eurlpesticides>

Duan Y, Sun H, Yao Y, Meng Y, Li Y (2020): Distribution of novel and legacy per-/polyfluoroalkyl substances in serum and its associations with two glycemic biomarkers among Chinese adult men and women with normal blood glucose levels. *Environment International* 134, 105295.

<https://pubmed.ncbi.nlm.nih.gov/31726357/>

Lesmeister L, Lange FT, Breuer J, Biegel-Engler A, Giese E, Scheurer M (2021): Extending the knowledge about PFAS bioaccumulation factors for agricultural plants – A review. *Science of the Total Environment* 766, 142640.

<https://www.sciencedirect.com/science/article/pii/S0048969720361696>

Nödler K, Scheurer M (2019): Substances from Multiple Sources (SMS): The presence of multiple primary and secondary sources of persistent and mobile organic contaminants is an upcoming challenge for the drinking water sector and regulatory frameworks. *Environmental Science & Technology* 53, 11061–11062.

<https://pubs.acs.org/doi/10.1021/acs.est.9b05168>

ECHA, Support document for identification of 2,3,3,3-tetrafluoro(2-heptafluoropropoxy)propanoic acid, its salts and its acyl halides (covering an of their individual isomers and combinations thereof) as substances of very high concern because of their hazardous properties which cause probable serious effects to human health and the environment which give rise to an equivalent level of concern to those of CMR and PBT/vPvB substances (Article 57f)

https://echa.europa.eu/documents/10162/23665416/svhc_msc_supdoc_hfpo-da_20190626_final_12764_en.pdf/8da8ceca-2e2e-d999-3276-b83c5fbca009

ECHA, Support document for identification of perfluorobutane sulfonic acid and its salts and its acyl halides (covering an of their individual isomers and combinations thereof) as substances of very high concern because of their hazardous properties which cause probable serious effects to human health and the environment which give rise to an equivalent level of concern to those of CMR and PBT/vPvB substances (Article 57f)

https://echa.europa.eu/documents/10162/13638/svhc_msc_supdoc_pfbs_salts_20191211_final_13725_en.pdf/891ab33d-d263-cc4b-0f2d-d84cfb7f424a

ECHA, Final Minutes of the 65th Meeting of the Member State Committee (MSC-65) 24-27 June 2019

https://echa.europa.eu/documents/10162/26095063/minutes+of+MSC-65_en.pdf/bd71e06c-c7ef-984a-aacc-b51519b9e398

ECHA, Minutes of the 67th Meeting of the Member State Committee (MSC-67), 9-11 December 2019

https://echa.europa.eu/documents/10162/26095063/Minutes+of+MSC-67_en.pdf/9f790456-2bfc-61c9-8492-74664b26957b

Stefanie Schulze, Daniel Zahn, Rosa Montes, Rosario Rodil, José Benito Quintana, Thomas P. Knepper, Thorsten Reemtsma, Urs Berger, Occurrence of emerging persistent and mobile organic contaminants in European water samples, *Water Research*, Volume 153, 2019, Pages 80-90

<https://doi.org/10.1016/j.watres.2019.01.008>

Tian et al., *Science*, Vol 371, Issue 6525, 2021

<https://science.sciencemag.org/content/371/6525/185>

Zheng, Z., Arp, H. P. H., Peters, G., & Andersson, P. L. Combining In Silico Tools with Multicriteria Analysis for Alternatives Assessment of Hazardous Chemicals: Accounting for the Transformation Products of decaBDE and Its Alternatives. *Environmental Science & Technology*, 2020, 55, 2, 1088–1098

<https://pubs.acs.org/doi/abs/10.1021/acs.est.0c02593>

Tortajada and van Rensburg, Drink more recycled wastewater, *Nature*, 2019

https://www.nature.com/articles/d41586-019-03913-6?utm_content=111359028&utm_medium=social&utm_source=facebook&hss_channel=fbp-102190093189397

Grizzetti, B., Pistocchi, A., Liqueste, C. et al. Human pressures and ecological status of European rivers. *Sci Rep* 7, 205 (2017).

<https://doi.org/10.1038/s41598-017-00324-3>

T. E. Pronk, R. C. H. M. Hofman-Caris, D. Vries, S. A. E. Kools, T. L. ter Laak, G. J. Stroomberg; A water quality index for the removal requirement and purification treatment effort of micropollutants. *Water Supply* 1 February 2021; 21 (1): 128–145.

<https://doi.org/10.2166/ws.2020.289>

Wassenaar PN, Rorije E, Janssen NM, Peijnenburg WJ, Vijver MG. Chemical similarity to identify potential Substances of Very High Concern—An effective screening method. *Journal of Computational Toxicology*. 2019; 12:100110.

<https://www.sciencedirect.com/science/article/pii/S2468111319300258>

P. Lipp, F. Sacher & G. Baldauf (2010) Removal of organic micro-pollutants during drinking water treatment by nanofiltration and reverse osmosis, *Desalination and Water Treatment*, 13:1-3, 226-237

<https://www.tandfonline.com/doi/citedby/10.5004/dwt.2010.1063?scroll=top&needAccess=true>

Karin Kiefer, Letian Du, Heinz Singer, Juliane Hollender, Identification of LC-HRMS nontarget signals in groundwater after source related prioritization, *Water Research*, Volume 196, 2021

<https://doi.org/10.1016/j.watres.2021.116994>

Karin Kiefer, Adrian Müller, Heinz Singer, Juliane Hollender, New relevant pesticide transformation products in groundwater detected using target and suspect screening for agricultural and urban micropollutants with LC-HRMS, *Water Research*, Volume 165, 2019

<https://doi.org/10.1016/j.watres.2019.114972>

Kruve, A., Kiefer, K. & Hollender, J. Benchmarking of the quantification approaches for the non-targeted screening of micropollutants and their transformation products in groundwater. *Anal Bioanal Chem* 413, 1549–1559 (2021)

<https://doi.org/10.1007/s00216-020-03109-2>

Pablo Gago-Ferrero, Anna A. Bletsou, Dimitrios E. Damalas, Reza Aalizadeh, Nikiforos A. Alygizakis, Heinz P. Singer, Juliane Hollender, Nikolaos S. Thomaidis, Wide-scope target screening of >2000 emerging contaminants in wastewater samples with UPLC-Q-ToF-HRMS/MS

and smart evaluation of its performance through the validation of 195 selected representative analytes, *Journal of Hazardous Materials*, Volume 387, 2020
<https://doi.org/10.1016/j.jhazmat.2019.121712>.

Schymanski, E. L., Jeon, J., Gulde, R., Fenner, K., Ruff, M., Singer, H. P., & Hollender, J. (2014). Identifying small molecules via high resolution mass spectrometry: communicating confidence. *Environ. Sci. Technol.* 2014, 48, 4, 2097–2098
<https://pubs.acs.org/doi/10.1021/es5002105>

Bieber, S., Greco, G., Grosse, S., & Letzel, T. (2017). RPLC-HILIC and SFC with mass spectrometry: polarity-extended organic molecule screening in environmental (water) samples. *Analytical chemistry*, 89(15), 7907-7914.
<https://pubs.acs.org/doi/abs/10.1021/acs.analchem.7b00859>

Orthogonal Separation Techniques to Analyze (Very) Polar Molecules in Water Samples: Assessing SFC and Reversed-Phase LC–HILIC, November 2018 *LC GC Europe* 31(11):602-608.
https://www.researchgate.net/publication/328828872_Orthogonal_Separation_Techniques_to_Analyze_Very_Polar_Molecules_in_Water_Samples_Assessing_SFC_and_Reversed-Phase_LC-HILIC

S. Bieber and T. Letzel (2021) Application Note – Dielectric barrier discharge ionization (DBDI) as a universal atmospheric pressure ion source (API) for the hyphenation of gas chromatographic, liquid chromatographic and supercritical fluid chromatographic separations with the same time-of-flight mass spectrometer, *AFIN-TS Forum*; March (5): 1-16. (open access) *AFIN-TS_05_2021_SICRIT*

G. Greco, S. Grosse, and T. Letzel: HILIC-RP HPLC-API-ToF MS for the determination of polar and apolar organic molecules in wines. *Journal of Separation Science* 2013, 36 (8), 1279-1388.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/jssc.201200920>

OECD Pov and LRTP Screening Tool
<http://www.oecd.org/chemicalsafety/risk-assessment/oecd-pov-and-lrtp-screening-tool.htm>

Montes, R., Rodil, R., Placer, L. et al. Applicability of mixed-mode chromatography for the simultaneous analysis of C1-C18 perfluoroalkylated substances. *Anal Bioanal Chem* 412, 4849–4856 (2020).
<https://doi.org/10.1007/s00216-020-02434-w>

Report on concentrations of PFAS that are a cause for concern in Norwegian fish (in Norwegian)
https://www.matportalen.no/matvaregrupper/tema/fisk_og_skalldyr/article57860.ece/BINAR Y/Folkehelseinstituttet%20-%20vurdering%20PFAS%2025.09.2020

PFAS|EPA: PFAS structures in DSSTox (update August 2020)
https://comptox.epa.gov/dashboard/chemical_lists/PFASSTRUCT

Fødevarerstyrelsens analyse viser høje niveauer af PFOS i kød fra kogræsserforening - Slagelse Kommune (in Danish)

<https://eur02.safelinks.protection.outlook.com/?url=https%3A%2F%2Fwww.slagelse.dk%2Fnyt-og-presse%2Fnyheder%2F2021%2Fmarts%2Ffoedevarestyrelsens-analyse-viser-hoeje-niveauer-af-pfos-i-koed-fra-kograesserforening&data=04%7C01%7Cxenial.trier%40eea.europa.eu%7Cd60c28bdead345a052e008d8eea10135%7Cbe2e7beab4934de5bbc58b4a6a235600%7C1%7C0%7C637521722629239125%7CUnknown%7CTWFpbGZsb3d8eyJWIjoiMC4wLjAwMDAiLCJQIjoiV2luMzIiLCJBTiI6IjEhaWwiLCJXVCi6Mn0%3D%7C1000&sdata=ZMlrW8tLI7wV2hLYLX1m1cPRvL%2BFs%2FApT2%2FMjba%2F13I%3D&reserved=0>

Advise related to eating fish (in Danish)

<https://eur02.safelinks.protection.outlook.com/?url=https%3A%2F%2Fsn.dk%2Fslagelse%2FAdvarsel-Oksekoed-saa-giftigt-at-det-skal-smides-ud%2Fartikel%2F1421102&data=04%7C01%7Cxenial.trier%40eea.europa.eu%7Cd60c28bdead345a052e008d8eea10135%7Cbe2e7beab4934de5bbc58b4a6a235600%7C1%7C0%7C637521722629259040%7CUnknown%7CTWFpbGZsb3d8eyJWIjoiMC4wLjAwMDAiLCJQIjoiV2luMzIiLCJBTiI6IjEhaWwiLCJXVCi6Mn0%3D%7C1000&sdata=v8XOrTWU%2F8SvFvnE5zXBA5VxMsWdNPEwUs%2FDBlqSTJQ%3D&reserved=0>

Müller, K., Zahn, D., Frömel, T. et al. Matrix effects in the analysis of polar organic water contaminants with HILIC-ESI-MS. *Anal Bioanal Chem* 412, 4867–4879 (2020).

<https://doi.org/10.1007/s00216-020-02548-1>

Daniel Maga, Venkat Aryan, and Stefano Bruzzano; Environmental Assessment of Various End-of-Life Pathways for Treating Per- and Polyfluoroalkyl Substances in Spent Fire-Extinguishing Waters; *Environmental Toxicology and Chemistry—Volume 40, Number 3—pp. 947–957, 2021*
<https://setac.onlinelibrary.wiley.com/doi/full/10.1002/etc.4803>

Editorial in newspaper The Guardian about water (in English)

<https://www.theguardian.com/environment/2021/mar/25/uk-flying-blind-on-levels-of-toxic-chemicals-in-tap-water>

Yuta Ogawa, Etsuko Tokunaga, Osamu Kobayashi, Kenji Hirai, Norio Shibata, Current Contributions of Organofluorine Compounds to the Agrochemical Industry, *iScience*, Volume 23, Issue 9, 2020,

<https://doi.org/10.1016/j.isci.2020.101467>.

Inoue M, Sumii Y, Shibata N. Contribution of Organofluorine Compounds to Pharmaceuticals. *ACS Omega*. 2020;5(19):10633-10640. Published 2020 Apr 22.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7240833/>

Klaus Kummerer, James H. Clark, Vania G. Zuin, Rethinking chemistry for a circular economy, *Science* 24 January 2020 : 369-370

<https://science.sciencemag.org/content/367/6476/369>

OECD Guideline for testing of chemicals

<https://www.oecd.org/chemicalsafety/risk-assessment/1948209.pdf>

ChemSec's marketplace tool

<https://marketplace.chemsec.org/>

Holmberg, R., Wedebye, E. B., Nikolov, N. G., & Tyle, H. (2021). How many potential vPvM/PMT substances have been registered under REACH? - vPvM/PMT-screening by using the Danish (Q)SAR database. Danmarks Tekniske Universitet.

<https://orbit.dtu.dk/en/publications/how-many-potential-vpvm-pmt-substances-have-been-registered-under->

the xlsx database can be found here:

https://qsar.db.food.dtu.dk/download/pmt/Danish_QSAR_vPvM_PMT_full_table_2019.zip

Solvay Impedes Research Into Unknown PFAS by Threatening Testing Lab With Legal Action

<https://pfasproject.com/2021/02/11/solvay-impedes-research-into-unknown-pfas-by-threatening-testing-lab-with-legal-action/>

CLIMGAS-CH / AGAGE Measurements of halogenated greenhouse gases at Jungfrauoch

<https://www.empa.ch/web/s503/halclim-ingos-agage>

Zahn, D., Neuwald, I.J. & Knepper, T.P. Analysis of mobile chemicals in the aquatic environment—current capabilities, limitations and future perspectives. *Anal Bioanal Chem* 412, 4763–4784 (2020).

<https://doi.org/10.1007/s00216-020-02520-z>

Policy Paper: **STAKEHOLDER-DIALOGS »SPURENSTOFFSTRATEGIE DES BUNDES«:**

[PolicyPapier_FINAL.pdf \(dialog-spurenstoffstrategie.de\)](#)

Map of water quality in Germany 1995 – LAWA:

[W_2225_KM-20160630131226 \(lawa.de\)](#)

Map of water quality in Germany 2000 – LAWA:

[W_2225_KM-20160630134829 \(lawa.de\)](#)

