

Addressing climate change impacts on mining

Working Paper IGF-AGM 2019

Climate change impacts are challenging the mining sector

The mining sector is vulnerable to the impacts of climate change. Climate change has the potential to affect many aspects of the sector, leading to disruptions in supply as well as exacerbating its environment and social impacts (see Table 1 for details). The sector needs to implement effective and enduring adaptation initiatives to maintain the global metal supply and mitigate environmental, community and societal impacts along the metals value chain.

While there are technical solutions for climate change adaptation for the mining sector, a range of factors limit their uptake. Climate change adaptation is therefore not merely a technical issue, but also a governance challenge linked to political and economic considerations.

This paper is the result of the research project “Impacts of climate change on the environmental criticality of Germany’s raw material demand” (see textbox below). It presents a set of policy recommendations on how to best adapt the mining sector, incentivise climate change adaptation measures in the mining sector and foster effective mechanisms for sharing knowledge and expertise on this topic globally.

Project background

In one of the first research projects on climate change and mining, adelphi, the Institute for Energy and Environmental Research Heidelberg (ifeu) and the Sustainable Minerals Institute (SMI) of the University of Queensland investigated how climate change could affect the environmental risks associated with mining. In addition, the project addresses how raw material supply chains might be disturbed by climate change impacts.

The project “Impacts of climate change on the environmental criticality of Germany’s raw material demand” (short: KlimRess) was commissioned by the German Environment Agency. In addition to this recommendation paper, five country case studies (assessing the vulnerability of mining and raw material production in different climatic contexts) and a final report were compiled. The case studies will be published as individual reports and cover nine minerals and metals in five countries. The final report (also forthcoming) summarises the qualitative insights of the case studies and presents the results of a quantitative climate change vulnerability assessment of raw material producing countries.

Table 1: Potential adverse climate change impacts on mining and the environment

The compilation of potential adverse impacts is based on findings from the project's five case studies on several mines and processing sites in Australia (bauxite, iron ore and coking coal), Canada (tungsten and nickel), Chile (copper and lithium), Indonesia (tin) and South Africa (PGMs and nickel). The list presents a set of exemplary impacts and is not exhaustive; additional or different climate change impacts might occur.

Climate stimuli and direct climate impact	Potential impacts
<i>Sudden onset, extreme events</i>	
Occurrence of heat waves	Environmental impacts - Reduced resilience of rehabilitated mined land (e.g. suppression of growth and/or loss of vegetation due to heat stress) - Biodiversity stress Disruption of mining operations - Extreme heat damage to road and rail infrastructure - Workforce capacity reduced due to heat stress
Occurrence of droughts¹	Environment impacts - Reduced resilience of rehabilitated mined land (e.g. plant development which reacts sensitively to water stress) - Biodiversity stress - Increased sensitivity to pollution loading in surface watersheds Disruption of mining operations - Reduced production at mine site due to water shortages
Occurrence of wildfires	Environmental impacts - Smoke from fire combined with dust and air emissions from mining/processing can lead to increased levels of air pollution - Reduced resilience of rehabilitated land (loss of vegetation due to fire, degraded soil) - Biodiversity stress Disruption of mining operations - Damage to transportation infrastructure - Workforce capacity reduced due to evacuation of workforce
Occurrence of flooding events <i>Flooding can be caused by heavy rain, in particular during cyclones, typhoons and hurricanes.</i>	Environmental impacts - Land degradation and erosion - Water contamination - Unscheduled release of contaminated effluents - Reduced resilience of rehabilitated mined land (e.g. damaged plants, wash outs) - Biodiversity stress Disruption of mining operations - Lost production due to flooding - Damage to transportation infrastructure - Workforce capacity reduced due to evacuation of workforce
Occurrence of erosion/landslide²	Environmental impacts - Reduced resilience of rehabilitated mined land (not only revegetation but also landscape) - Biodiversity stress Disruption of mining operations - Lost production - Damage to transportation infrastructure - Workforce capacity reduced due to evacuation of workforce

¹ Droughts are an extreme weather event but are linked to slow-onset change (UNFCCC, 2012).

² Erosion and landslide were merged in one category as they have similar impacts. However, erosions are usually classified as slow onset, gradual events.

Climate stimuli and direct climate impact	Potential impacts
Occurrence of heavy wind	Environmental impacts - Dispersion and behaviour of air emissions and dust emissions affected Disruption of mining operations - Transport and other infrastructure damaged - Workforce capacity reduced due to evacuated or harmed workers
<i>Slow onset, gradual changes</i>	
Increase of mean temperature	Environmental impacts - Increased risk of mined land rehabilitation failure (e.g. plant development potentially reacts sensitively to elevated temperatures) - Biodiversity stressed Disruption of mining operations - Workforce capacity reduced (e.g. increased transmission of malaria and dengue)
Increase of mean precipitation	Environmental impacts - No expected direct impacts on rehabilitation success and biodiversity Disruption of mining operations - Workforce capacity reduced (e.g. increased transmission of malaria and dengue)
Decrease of mean precipitation	Environmental impacts - Risks and failures in mined land rehabilitation - Biodiversity stressed Disruption of mining operations - No potential supply disruptions due to this climate stimuli/direct climate impact
Sea warming	Environmental impacts - Biodiversity stressed (increased sea surface temperatures can be harmful for marine ecosystems which are impacted by offshore mining) Disruption of mining operations - No potential supply disruptions due to this climate stimuli/direct climate impact
Permafrost degradation	Environmental impacts - Reduced integrity of tailing storage facilities Disruption of mining operations - Transport infrastructure impacted
Sea level rise	<i>In the long term, sea level rise potentially exacerbates the risk of coastal flooding and may have impact on ship loading facilities or mine infrastructure at sea level.</i>

Spotlight: Acid Mine Drainage (AMD) and climate change

Climate change could increase the potential for AMD generation. However, AMD generation is a complex process which depends on various factors. Therefore, the actual impacts of climate change on AMD generation are very difficult to project. In general, the AMD generation process (especially the abiotic one) requires oxygen and water to oxidize the sulfides. Changes in water supply and in the frequency of dry and wet phases at the site (especially on heaps) are factors that might increase AMD generation. More or heavier precipitation might also lead to a higher potential for AMD runoff. In addition, AMD generation dynamics are generally temperature dependent. However, small changes are not expected to accelerate the generation process. Only in rare and exceptional cases, e.g. when the average temperature at Arctic or high mountain locations rises above freezing for a longer period, might AMD generation increase.

Recommendations for the mining sector and national authorities in producing countries

Climate change adaptation needs for mining companies

Recommendation 1: Climate change adaptation should be central to the policies, procedures and strategies of mining companies and associated national environmental regulatory bodies.

Adaptation for planned and ongoing operations: The case studies show that although some mining companies and countries have started to adapt to climate change, there is room for more comprehensive climate change adaptation strategies and measures. By conducting thorough climate change vulnerability assessments of their operations in the context of regional climate change projections, mining companies can identify and implement adaptation initiatives. They can build on existing knowledge and expertise to assess climate change impacts on the various aspects of mining operations (e.g. water, energy, transport, tailings safety) (Fraser Basin Council, 2014). Environmental Impact Assessments, which are normally conducted before mining operations start, could be a first point of entry.

Implementing early warning systems and adaptation measures is also a way to increase the environmental and social responsibility of mining and processing operations by helping to make them more resilient. One example is the drying and compacting of bauxite residue ('red mud') at alumina refineries. This treatment is a good practice of environmental management and is at the same time a climate change adaptation measure: it reduces the risk of an uncontrolled release in case of a dam wall break in general (e.g. due to a technical failure), but also when triggered by a climate change related event (e.g. increased intensity of heavy rain or increased frequency of cyclones). Such adaptation options are beneficial for both climate change adaptation and day-to-day environmental management.

National authorities for environmental management and regulation in producing countries also need to mainstream climate change into activities related to the mining sector. While large international mining companies often have the means to acquire additional expertise or consult with international experts, national authorities often do not have the financial capacities to do so. Therefore, local know-how and personal capacities on climate change should be developed. Bilateral or multilateral cooperation could support such endeavours.

Recommendation 2: As climate change impacts can affect relationships with local communities and the rehabilitation of mined land, both aspects need to be incorporated into the design and implementation of adaptation measures.

Adaptation and local communities: Mining operations interact with other pressures to put additional stress on biodiversity and local communities (e.g. noise and pollution by mining operations in an area experiencing drought and characterized by high poverty rates). Climate change can act as a 'risk multiplier', which means that it exacerbates various risks already prevalent in the mining region. Relationships with local communities will become increasingly important in addressing the negative impacts and harnessing potential positive impacts of climate change. An example from the Canada case study underlines this point: sea ice change could open up new shipping routes or prolong the shipping season at a nickel mine in Canada. However, the local indigenous community would have to agree to modify the current agreement between the mine and the community in order to allow new shipping routes or a prolonged shipping season.

Adaptation and rehabilitation: Rehabilitation of mined land is often challenging. Climatic changes, such as changing temperature and precipitation regimes and extreme weather events,

can make this task even more difficult. In addition, rehabilitation has a very long timeframe and extends into the distant future, when climate change impacts are projected to be far more pronounced than in the nearer future (Stratos, 2011).

Rehabilitation measures need to be site-specific, as the climatic, soil, vegetation and other conditions differ substantially across mine sites. However, knowledge exchange between sites and companies on different methods and approaches for integrating climate change into rehabilitation efforts is essential. One example of a successful exchange format is the annual rehabilitation event with the Mongolian mining industry, administration, academia and consultants, supported by the German Federal Institute for Geosciences and Natural Resources (BGR), which helps to develop, adapt, and disseminate locally appropriate rehabilitation approaches and solutions. Similar events could be held in other countries to address not only particular local conditions, but also the impacts of climate change on rehabilitation.

Spotlight: Mining as a contributor to climate change

In addition to improving climate change adaptation, the large-scale mining sector needs to reduce its greenhouse gas (GHG) emissions to help reach the global goal of limiting the world's temperature increase to 2°C or even 1.5°C, as set in the Paris Agreement. The sector, including mining and mineral processing, smelting and refining, is highly energy intensive. This energy usually comes from fossil fuel sources, making the industry a significant contributor to global GHG emissions. In some cases, mining and mineral processing is less energy intensive and therefore produces lower GHG emissions than downstream smelting and refining. For example, the global CO₂ emissions for the mining of bauxite and iron ore were 1.4 Mt and 38.8 Mt in 2016, while aluminium- and steel-making accounted for 1 Gt and 3.1 Gt CO₂ emissions in the same year (Tost et al., 2018). Nevertheless, there is a large potential to increase the use of renewable energy in mining: over recent decades, the contribution of renewable energy to mining has been below 10% (when also including the average electricity generation mix from the grid) (Maennling and Toledano, 2018). There are now examples of mining companies implementing measures to reduce the use of fossil fuels and CO₂ emissions at their mine sites by transitioning to renewable energy sources.

Large tailings dams and abandoned mine sites are particular challenges in the context of climate change

Recommendation 3: Given the potential catastrophic consequences from tailings dam failures, adaptation initiatives involving large tailings storage facilities require special and detailed attention.

The failures of large tailings dams can result in extensive environmental damage and destroy livelihoods, harm infrastructure and cause fatalities. Tailings dams can be impacted by extreme weather events as well as by the slow onset of gradual changes (see Figure 1 for an overview of potential impacts on a tailings dam). Gradual changes are often less evident than the impacts of sudden, extreme events, but they are nevertheless important (e.g. permafrost degradation, which can lead to the destabilisation of tailings facilities). In this context, a particular challenge is to identify the impacts of combined or sequential extreme events, as these are more difficult to anticipate. One example of combined and sequential extreme events is repeated heavy rain and snowfall combined with sudden and rapid snowmelt. Further research would help gain a broader understanding of slow-onset and combined climate change impacts.

Mining operations have always faced extreme weather, but climate change is expected to increase the frequency and intensity of extreme events. However, tailings dams are often designed based on assumptions about past or current climatic conditions (ICMM, 2013). Therefore, the integrity of tailings dams need to be regularly monitored and assessed given their

exposure to climatic changes. If required, mining operators should implement climate change adaptation measures for their tailings dams.


However, there is currently a lack of concrete regional or international guidelines for doing so. Two examples of guidelines lacking in this area are the recently published EU's "Best Available Techniques (BAT) Reference Document for the Management of Waste from Extractive Industries" (Garbarino et al., 2018) and the "Safety guidelines and good practices for tailings management facilities" by the United Nations Economic Commission for Europe (UN-ECE) (UN-ECE, 2014). Although the BAT document briefly mentions that the impacts of climate change should be considered in environmental baseline studies, when identifying a site for the deposition of extractive waste and when designing of dams or ponds to ensure high safety, no detailed recommendations are provided. Similarly, the UN-ECE guidelines refer to climate change as a challenge in the foreword, but do not specify any details in the main document. There is a need to develop more comprehensive climate change sensitive guidance.

In response to the Brumadinho tailings dam failure in Brazil in January 2019, the International Council on Mining and Metals (ICMM) started working with UN Environment and the Principles for Responsible Investment on a review aimed at establishing a global standard for tailings storage facility safety (Mining Technology, 2019). These efforts offer a near-term entry point to include climate change considerations in an international industry standard. However, in order to turn improved standards and guidance into action, the implementation of climate-proof safety measures also needs to be encouraged by non-governmental organisations, industry associations and regulatory bodies. The International Commission on Large Dams (ICOLD) would be a suitable international forum to mainstream climate change adaptation into safety measures for large tailings dams.

Spotlight: Hazard assessment tools need to account for climate change impacts

The Tailings Hazard Index (THI) is a tool that helps to assess the potential hazard of tailings storage facilities. It was developed on behalf of the German Environment Agency and piloted in Ukraine. It considers parameters on the volume of tailings, the toxicity of substances in tailings, the management status of the facility, the natural conditions (geological, seismological, hydrological conditions) specific to the site and dam safety (Vijgen and Nikolaieva, 2016). This useful tool could be enhanced by also including climate change projections.

Figure 1: Potential impact of climate change on a tailings dam



Source: Roche, Thygesen and Baker (2017), graphic created by Kristina Thygesen, <http://www.grida.no/resources/11425>. Used with permission.

Recommendation 4: As climate change can have substantial impacts on abandoned mine sites, suitable adaptation initiatives need to be developed in a similar manner to operating mines.

Countries with a long history of mining often have to deal with abandoned mines. These sites are in many cases the legacy of times when there were no comprehensive environmental regulations or rehabilitation provisions, let alone climate change adaptation policies. Operational mining sites are under continual monitoring and can put measures in place to adapt in advance or react to climatic changes. In contrast, abandoned mines are generally the responsibility of the state, which in some cases does not have the resources for detailed monitoring. Unless the abandoned sites are adequately managed, they may create negative environmental impacts such as acid and metalliferous drainage issues. As these impacts can conceivably be exacerbated by changing climatic conditions, there is a sense of urgency regarding the need to rehabilitate abandoned mine sites.

Addressing climate change impacts in the artisanal and small-scale mining sector

Recommendation 5: The impacts of climate change on the artisanal and small-scale mining sector need to be better understood in order to enable the identification and development of suitable adaptive measures to support this sector.

Artisanal and small-scale mining (ASM) is an important livelihood for about 40.5 million people globally, but it usually comes at a high environmental and social cost (IGF, 2018). As ASM operations tend to be informal or even illegal, they are mostly uncontrolled and often have no environmental monitoring or mitigation measures in place. Workers often operate under precarious and dangerous conditions. In addition, access to financial resources or capacity building is often inadequate due to the lack of formalisation in the sector. These circumstances make the sector especially vulnerable to climatic changes. However, ASM practices are very diverse, and they face varying local and different challenges (see for example IGF, 2018) that require tailored answers. Climate change impacts in the ASM sector and the responses to these impacts are not well understood. Therefore, research should focus on better understanding these impacts to enable the identification of adaptive measures that can be implemented by small-scale miners. The informality and general lack of financial resources and capacities in the ASM sector create additional challenges for the implementation of climate change adaptation. Therefore, general formalisation efforts and the strengthening of the local capacities need to be supported.

A potential entry point could be the CRAFT code that was developed by the Alliance for Responsible Mining (ARM) and RESOLVE in 2018 (ARM and RESOLVE, 2018). The code is a market entry standard for ASM gold producers, enabling them to join legal supply chains. While the code does provide guidelines to address complex aspects of legality and formality, its environmental criteria need to be enhanced. Climate change considerations are not included in the current version of the code.

Recommendation for investors and lending institutions

Recommendation 6: The potential consequences of climate change impacts at mining and processing sites should be part of the risk assessment process for investment decision-making.

Industrial large-scale mining projects usually depend on international investments for exploration and the development of operations. To help lower their investment risks, investors and lending institutions can use their leverage to encourage responsible business practices by requiring compliance with certain environmental and social standards as well as sound adaptation to climate change impacts. While the insurance sector is well aware of the risks that come with climate change, banks and other financial institutions do not yet comprehensively assess risks related to climate change in their credit and lending portfolios. In general, the risks associated with the transition to a low-carbon economy have received greater attention than the sudden or slow-onset physical impacts linked to climate change (Connell et al., 2018). The immediate physical impacts on mines, processing and transport that might trigger cascading negative impacts – such as changes in the public perception towards mining, anti-mining campaigns, changes in the political evaluation of risk, and impacts on the general investment environment – are often also overlooked. These cascading impacts might result in larger overall costs and increased financial risks.

In cooperation with sixteen banks, the UN Environment Finance Initiative and Acclimatise have piloted methodologies to assess physical impacts of climate change on credit and lending portfolios in the agriculture, energy and real estate sectors (Connell et al., 2018). Using these methodologies as a basis, specific assessment methodologies could be developed for the mining sector. Furthermore, climate change issues should be incorporated into key guiding documents on responsible mining, such as the Environmental, Health, and Safety Guidelines for mining of the International Financial Cooperation (IFC, 2007) and the Equator Principles – a financial industry risk management framework for environmental and social risk in projects – (Equator Principles, 2013). Beyond integrating climate change into risk assessments, banks and other investors and lenders can support the mining sector by investing in climate change adaptation initiatives.



Pia van Ackern, Lukas Rüttinger and Timon Lepold, adelphi, Berlin

Andreas Auberger and Regine Vogt, ifeu, Heidelberg

Contact: van.ackern@adelphi.de

We would like to thank Thomas Baumgartl, Glen Corder, Artem Golev (all University of Queensland) and Michael Priester (Projekt-Consult) for their valuable contributions.

On behalf of the German Environment Agency

The project underlying this discussion paper was financed by the Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety under project number FKZ 3716 48 324 0. The responsibility for the content of this publication lies with the authors.

References

ARM – Alliance for Responsible Mining – and RESOLVE (2018): CRAFT. Code of Risk-mitigation for artisanal and small-scale mining engaging in Formal Trade. Version 1.0. July 21, 2018. Online: <http://www.responsiblemines.org/wp-content/uploads/2018/08/2018-07-31-CRAFT-Code-v-1.0-EN.pdf> (last access 06.08.2019).

Connell, R., Firth, J., Baglee, A., Haworth, A., Steeves, J., Fouvet, C., Hamaker and Taylor, R. (2018): Navigating Climate Change. Assessing credit risk and opportunity in a changing climate: Outputs of a working group of 16 banks piloting the TCFD Recommendations (Part 2: Physical risks and opportunities). Online: <https://www.unepfi.org/wordpress/wp-content/uploads/2018/07/NAVIGATING-A-NEW-CLIMATE.pdf> (last access 06.08.2019).

Equator Principles (2013): The Equator Principles, June 2013. Online: https://equator-principles.com/wp-content/uploads/2017/03/equator_principles_III.pdf (last access 19.06.2019).

Fraser Basin Council (2014): A Climate Adaptation Case Study in Canada's Mining Sector. Climate Change at Glencore in Sudbury, Ontario. Online: https://www.retooling.ca/_Library/Mining_Essentials/mining_case_study_glencore.pdf (last access 06.08.2019).

Garbarino, E., Orveillon, G., Saveyin, H., Barthe, P. and Eder, P. (2018): Best Available Techniques (BAT). Reference Document for the Management of Waste from Extractive Industries in accordance with Directive 2006/21/EC. Online: <http://publications.jrc.ec.europa.eu/repository/handle/JRC109657> (last access 06.08.2019).

ICMM – International Council on Mining and Metals (2013): Adapting to a changing climate. Implications for the mining and metals industry. Online: <https://www.icmm.com/website/publications/pdfs/climate-change/adapting-to-climate-change> (last access 06.08.2019).

IFC – International Finance Corporation (2007): Environmental, Health and Safety Guidelines for Mining. Online: <https://www.ifc.org/wps/wcm/connect/1f4dc28048855af4879cd76a6515bb18/Final%2B-%2BMining.pdf?MOD=AJPERES&id=1323153264157> (last access 06.08.2019).

IGF – Intergovernmental Forum on Mining, Minerals, Metals and Sustainable Development (2018): Global Trends in Artisanal and Small-Scale Mining (ASM): A Review of Key Numbers and Issues. IISD/IGF. Online: <https://www.iisd.org/sites/default/files/publications/igf-asm-global-trends.pdf> (last access 06.08.2019).

Maennling, N. and Toledano, P. (2018): The Renewable Power of the Mine. Accelerating Renewable Energy Integration. Columbia Center on Sustainable Investment/Federal Ministry for Economic Cooperation and Development (BMZ) and Deutsche Gesellschaft für internationale Zusammenarbeit (GIZ)/Energy and Mines.

Mining Technology (2019): Global tailings review moves into research phase. Online: <https://www.mining-technology.com/mining-safety/global-tailings-review-research-phase>.

Roche, C., Thygesen, K., and Baker, E. (2017): Mine Tailings Storage: Safety Is No Accident. UN Environment, GRID-Arendal.

Stratos (2011): Climate Change and Acid Rock Drainage – Risks for the Canadian Mining Sector. MEND Report 1.61.7. On behalf of MEND and sponsored by The Mining Association of Canada (MAC) and MEND. Online: <http://mend-nedem.org/wp-content/uploads/2013/01/1.61.7.pdf> (last access 06.08.2019).

Tost, M.; Bayer, B.; Hitch, M.; Lutter, S.; Moser, P. and Feiel, S. (2018): Metal Mining's Environmental Pressures: A Review and Update Estimates on CO₂ Emissions, Water Use, and Land Requirements. Sustainability: 10, 2881.

UNFCCC (2012): Slow onset events. Technical Paper. Online: <https://unfccc.int/resource/docs/2012/tp/07.pdf> (last access 06.08.2019).

UN-ECE [United Nations Economic Commission for Europe] (2014): Safety guidelines and good practices for tailings management facilities, Geneva. Online:
https://www.unece.org/fileadmin/DAM/env/documents/2014/TEIA/Publications/1326665_ECE_TMF_Publication.pdf (last access 06.08.2019).

Vijgen and Nikolaieva (2016): Improving the safety of industrial tailings management facilities based on the example of Ukrainian facilities. Online:
https://www.umweltbundesamt.de/sites/default/files/medien/378/publikationen/doku_01_2016_improving_the_safety_of_industrial_tailings_management_facilities.pdf (last access 06.08.2019).